

Mobile Power Unit



MPU


Quality Trailer Construction:

- Heavy-duty welded frame
- Powder-coated, galvannealed steel panels.
- Stainless steel hardware
- Trailer is load balanced




Built to handle the daily hostile environment of underground utility work!





All Trailers Include:

- Control Box
- 3" Lunette Eye
- Taillight Connector
- 5/16"X34" Safety Chains with Hooks
- Landing Jack with Steel Wheel
- Rubber Wheel Chocks
- Interior Compartment Light
- Safety Tape Package
- Safety Cone Storage
- Blower Hose 8"X25'
- Electric Brakes



	į	121KD				131KP				131KG		UNIT MODEL	TEAM enex
Platinum121KD	Gold121KD	Silver121KD	Base121KD	Platinum131KP	Gold131KP	Silver131KP	Base131KP	Platinum131KG	Gold131KG	Silver131KG	Base131KG	MPU	MPU Series Options
													POWER
								•	•	•	•		13kW GeneratorGas
				•	•	•	•						13kW GeneratorPropaneVapor Withdrawal
•	•	•	•			_							12kW GeneratorDiesel
•	•	•	•	•	•	•	•	•	•	•	•		Fuel Tank
•	•	•		•	•	•	•	•	•	•	_		Additional Fuel Tank
_		•		_		•				•			30 Amp Standby Power Cord
•	•			•	•	•		•	•				100 Amp Pin & Sleeve Receptacle (50 Amp Capacity) DC Accessory Outlet on Control Panel
•		ľ		•		Ť				۲			Additional GFI Receptacle on Control Box
•				•		-		•					30' Power Cord Reel with 3 Receptacles (120v)
•		Н		•						Н			Solar Battery Charger
													RUNNING GEAR
	•	•	•		•	•	•		•	•	•	1	Electric Brake System
•				•				•					Electric Brake System with Parking Brake
	•	•	•		•	•	•		•	•	•		Standard Incandescent Trailer Lights
•	•			•	•			•	•				Flasher System for Taillights
•				•				•					LED Taillights
													SAFETY AND WORK LIGHTING
•	•	•		•	•	•		•	•	•			Adjustable Light StandardCurb Side
•	•			•	•	_		•	•	-			Adjustable Light StandardStreet Side
_	•	•		•	•	•	4		•	•	-		500 Watt Floodlight (2) Dual Floodlight s (2-500 Watt)
	•			•	•	•		•	•			-	Inside Storage for Light Accessories
•	•	Ť		•	•	ř		•	•	ř	-		Front-Mounted Arrowboard Assembly (360° Positioning)
													VENTILATION
8			•				•				•		2-Speed Blower-No Heat
•	•	•		•	•	•		•	•	•			2-Speed Blower with Hot Water Heat Exchanger
•	•			•	•			•	•				6000 Watt Heat Boost
									,		_	Ш	COMPRESSED AIR & WATER PUMPING TOOLS
•	•	•		•	•	•		•	•	•			Submersible Pump with Remote
	•				•				•				2" Centrifugal Pump
•				•				•					3" Centrifugal Pump
•	•	•		•	•	•		•	•	•			Discharge Hose 2" x 25'
	•	•			•	•			•	•			Single 1 1/2 hp Oil-Type Air Compressor
•				•				•	No.	_			Dual 1 hp Oil-Less Air System
•	•	•		•	•	•		•	•	•		-	Air Hose Reel 1/4" x 25' for Tool Air System
-	•			•	•	•		•	•		2		Air Hose Reel 1/4" x 25' for Dry Air System Tool Lubricator
-	•	ľ		-	•	-		ľ	•	ľ		-	Heatless Dryer System 6" Towers
•				•		-						H	Heatless Dryer System 12" Towers
•	•			•	•			•	•				Audible Wet-Air Moisture Alarm
												ŢŢ,	ACCESSORIES
•	•	•		•	•	•		•	•	•			Manhole Guardrail and Rim
•	•			•	•			•	•				Fire Extinguisher
•				•				•					Mud Flaps
•				•				•					Jib Crane With Stabilizer
	175			•				•					Spare Tire and Wheel with Bracket



2-Ton Series Mobile Power Unit



2-TON A.C. MPU


Quality Trailer Construction:

- Heavy-duty welded frame
- Powder-coated, galvannealed steel panels.
- Stainless steel hardware
- Trailer is load balanced
- Mobile climate control providing ventilation & de-humidification




Built to handle the daily hostile environment of underground utility work!





All Trailers Include:

- Control Box
- 3" Lunette Eye
- Taillight Connector
- 5/16"X34" Safety Chains with Hooks
- Landing Jack with Steel Wheel
- Rubber Wheel Chocks
- Interior Compartment Light
- Safety Tape Package
- Safety Cone Storage
- 2-Ton Air Conditioner
- Blower Hose 8"X25"
- Electric Brakes



	12170	13160			10110	131KP				131KG		UNIT MODEL	TEAM enex
Platinum121KD2	Gold121KD2	Silver121KD2	Base121KD2	Platinum131KP2	Gold131KP2	Silver131KP2	Base131KP2	Platinum131KG2	Gold131KG2	Silver131KG2	Base131KG2	2-TON MPU	2-Ton MPU Series Options
													POWER
								•	•	•	•		13kW GeneratorGas
				•	•	•	•	L		L		L	13kW GeneratorPropane-Vapor Withdrawal
•	•	•	•	_	_	L				-	_	H	13kW GeneratorDiesel
•	•	•	•	•	•	•	•	•	•	•	•	H	Fuel Tank
		_		•	•	•	•	⊢		ŀ		H	Additional Fuel Tank
_		•		_		•		-		•		H	30 Amp Standby Power Cord
-	•	•		•	•			-	•				100 Amp Pin & Sleeve Receptacle (50 Amp Capacity) DC Accessory Outlet on Control Panel
-		-		÷	•	ľ			-	ľ			Additional GFI Receptacle on Control Box
				•		\vdash				\vdash			30' Power Cord Reel with (3) Receptacles
•				•						\vdash			Solar Battery Charger
				Ė				É					RUNNING GEAR
	•	•	•		•	•			•	•	•		Electric Brake System
•				•									Electric Brake System with Parking Brake
	•	•	•		•	•	•		•	•	•		Standard Incandescent Trailer Lights
•	•			•	•			•	•				Flasher System for Taillights
•				•				•					LED Taillights
													SAFETY AND WORK LIGHTING
•	•	•	П	•	•	•		•	•	•			Adjustable Light StandardCurb Side
•	•			•	•			•	•				Adjustable Light StandardStreet Side
		•		Г		•				•			500 Watt Floodlight
•	•			•	•			•	•				(2) Dual Floodlights (2-500 Watt)
•	•	•		•	•	•		•	•	•			Inside Storage for Light Accessories
•	•			•	•			•	•				Front-Mounted Arrowboard Assembly (360° Positioning)
													VENTILATION
			•				•				•		2-Speed Blower-No Heat
•	•	•		•	•	•		•	•	•		L	2-Speed Blower with Hot Water Heat Exchanger
•	•			•	•			•	•	L			6000 Watt Heat Boost
										L			COMPRESSED AIR & WATER PUMPING TOOLS
•	•	•		•	•	•		•	•	•			Submersible Pump with Remote
	•				•			\vdash	•				2" Centrifugal Pump
•		_		•				•					3" Centrifugal Pump
•	•	•		•	•	•		•	•	•			Discharge Hose 2" x 25'
_	•	•		-	•	•		-	•	•			Single 1 1/2 hp Oil-Type Air Compressor
•		-		•		-		•		-			Dual 1 hp Oil-Less Air System
•	•	•		•	•	•		•	•	•			Air Hose Reel 1/4" x 25' for Tool Air System
-	•	_		•	•	-		•	•	-			Air Hose Reel 1/4" x 25' for Dry Air System
•	•	•		•	•	•		•	•	•			Tool Lubricator
_	•			_	•	\vdash		-	•	\vdash			Heatless Dryer System 6" Towers Heatless Dryer System 12" Towers
-	•			•	•	\vdash		:	•				Audible Wet-Air Moisture Alarm
•				Ė				Ė	-				ACCESSORIES
_		•		•	•	•		•	•	•			Manhole Guardrail and Rim
	100	Ť		•	•	Ť		•	•	۲			Fire Extinguisher
•	•					1_		-		-		-	
•	•			•		П		•					Mud Flaps
•	•			•				•		H		H	Mud Flaps Jib Crane With Stabilizer



5-Ton Series Mobile Power Unit



5-TON A.C. MPU


Quality Trailer Construction:

- Heavy-duty welded frame
- Powder-coated, galvannealed steel panels.
- Stainless steel hardware
- Trailer is load balanced
- Mobile climate control providing ventilation & de-humidification




Built to handle the daily hostile environment of underground utility work!





All Trailers Include:

- Control Box
- 3" Lunette Eye
- Taillight Connector
- 5/16"X34" Safety Chains with Hooks
- Landing Jack with Steel Wheel
- Rubber Wheel Chocks
- Interior Compartment Light
- Safety Tape Package
- Safety Cone Storage
- 5-Ton Air Conditioner
- Blower Hose 8"X25'
- Electric Brakes



63		15111					151HP			io in co	151KG		UNIT MODEL	TEAM LENGTH OF THE AMERICAN TE
riaunumioiiD	Distinuidad	Gold151ID	Silver151ID	Base151ID	Platinum151HP	Gold151HP	Silver151HP	Base151HP	Platinum151KG	Gold151KG	Silver151KG	Base151KG	5-Ton MPU	5-Ton MPU Series Options
														POWER
					5				•	•	•	•		15kW GeneratorGas
				2	•	•	•	•						15kW GeneratorPropane
•	•	•	•	•					L					15kW GeneratorDiesel
			•				•				•			30 Amp Standby Power Cord
•	•	•			•	•			•	•				100 Amp Pin & Sleeve Receptacle (60 Amp Capacity)
•	1	•	•		•	•	•		•	•	•			DC Accessory Outlet on Control Panel
•					•				•					Additional GFI Receptacle on Control Box
•					•				•					30' Power Cord Reel with 3 Receptacles
•	1				•				•					Solar Battery Charger
		8	_	2	y	127		122						RUNNING GEAR
	- 20	•	•	•		•	•	•		•	•	•		Standard Incandescent Trailer Lights
•					•				•					LED Taillights
_		2	•		_				_					SAFETY AND WORK LIGHTING
	2	•	•	2	•	•	•		•	•	•			Adjustable Light Standard Curb Side
ľ			•		•	•		8	ľ					Adjustable Light StandardStreet Side 500 Watt Floodlight
			_	-	•	•	•			•	•	-		(2) Dual Floodlights (2-500 Watt)
	10		•		•	•			•					Inside Storage for Light Accessories
	2			2	•	•	ř			•				Flasher System for Taillights
					•	•		8		•				Front-Mounted Arrowboard Assembly
		2			.00									VENTILATION
ľ				•				•				•		2-Speed Blower-No Heat
•		•	•		•	•	•		•	•	•			2-Speed Blower with Hot Water Heat Exchanger
	•	•			3.	•				•				6000 Watt Heat Boost
•					•				•					9000 Watt Heat Boost
														COMPRESSED AIR & WATER PUMPING TOOLS
•		•	•		•	•	•		•	•	•		-	Submersible Pump with Remote
	•	•				•				•				2" Centrifugal Pump
•					•				•					3" Centrifugal Pump
•	•	•	•		•	•	•		•	•	•			Discharge Hose 2" x 25'
	•	•	•			•	•			•	•			Single 1 1/2 hp Oil-Type Air Compressor
•					•				•					Dual 1 hp Oil-Less Air System
•	10		•		•	•	•	'e .	•	•	•			Air Hose Reel 1/4" x 25' for Tool Air System
•	- 8			2	•	•	100		•	•				Air Hose Reel 1/4" x 25' for Dry Air System
•	-		•		•	•	•	8	•	•	•			Tool Lubricator
· Par		•	_		_	•			-	•				Heatless Dryer System 6" Towers
•			_		•		\vdash	4	•		_			Heatless Dryer System 12" Towers
-		•			•	•			•	•				Audible Wet-Air Moisture Alarm
					_			8	-	•	-		-	ACCESSORIES Manhole Guardrail and Rim
			•		•	•	•		•		•			Spare Tire and Wheel With Bracket
	8		-		•	•				•				Fire Extinguisher
					•				•	No.				Mud Flaps
					•			8	•					Jib Crane with Stabilizer
					•				•					Tripod Storage Box
	-						-				-			